

**CARBOSULFAN 25% DS
(POSSE 25 DS)**

MARSHAL - INSECTICIDE

**कार्बोसल्फान २५% डी.एस.
(पोसे-२५ डी एस) - कीटनाशक**

फा.क.न

A broad spectrum seed treatment insecticide for the control of early pests of cotton.


एक ब्रॉड स्पेक्ट्रम बीज की उपचारित करने वाला कीटनाशक जो कपास पर होने वाले अर्ध-कीटनाशक को नियंत्रित करता है।

KEEP OUT OF REACH OF CHILDREN

बच्चों को पहुंच से दूर रखें।

KEEP AWAY FROM HEAT AND OPEN FLAME

गर्मी व आग की सखी-लपट से दूर रखें।



See the leaflet attached to bag for safety directions.

**CARBOSULFAN 25% DS
(POSSE 25 DS)
MARSHAL INSECTICIDE**

Reg. No.
Net Content/Volume

Composition:

Carbosulfan technical (based on 92% purity)	: 27.88% WW
Stabilizer (Kronox-S)	: 100% WW
Wetting agent (Polyran-O)	: 100% WW
Adhesive (Polyethylene glycol)	: 36.00% WW
Dye (Rhodamine-B)	: 1.00% WW
Carrier (Microcel-E)	: 32.32% WW
Total	100.0% WW

Symptoms of Poisoning:

Headache, giddiness, nausea, constriction of pupils, blurred visions, abdominal cramps and excessive salivation and perspiration.

First aid measures:

1. Induce vomiting by tickling the back of the throat.
2. Wash the contaminated part with soap and water.
3. Call the physician.

Antidote:

1. If ingested induce vomiting by tickling the back of the throat till the vomit is clear.

2. Administer atropine 2-4 mg I.M. or S.C. at 3-10 minute intervals until full atropinisation. Do not use 2-PAM.

Manufactured by: **M/S PRC-Rallis India Pvt. Ltd.**

1. M/s Rallis-India Limited, Akola, MAHARASHTRA.
2. M/s Rallis-India Limited, Ankleshwar, GUJARAT.
3. M/s Rallis-India Limited, Lote Parasuram, MAHARASHTRA.
4. M/s Rallis-India Limited, Mahadevapura, BANGALORE.

Mfg. Lic. No.

Batch No.

Mfg. date

Expiry date

Max. retail Price Rs.

(Inclusive of all taxes)



**कार्बोसल्फान २५% डी.एस.
(पोसे २५ डी एस) - कीटनाशक**

कार्बोसल्फान २५% डी.एस.
(पोसे २५ डी एस) - कीटनाशक

कार्बोसल्फान तकनीकी (92% शुद्धता पर आधारित)

Stabilizer (Kronox-S)	: 100% WW
Wetting agent (Polyran-O)	: 100% WW
Adhesive (Polyethylene glycol)	: 36.00% WW
Dye (Rhodamine-B)	: 1.00% WW
Carrier (Microcel-E)	: 32.32% WW
Total	100.0% WW

Symptoms of Poisoning:

Headache, giddiness, nausea, constriction of pupils, blurred visions, abdominal cramps and excessive salivation and perspiration.

First aid measures:

1. Induce vomiting by tickling the back of the throat.
2. Wash the contaminated part with soap and water.
3. Call the physician.

Antidote:

1. If ingested induce vomiting by tickling the back of the throat till the vomit is clear.

2. Administer atropine 2-4 mg I.M. or S.C. at 3-10 minute intervals until full atropinisation. Do not use 2-PAM.

Manufactured by: **M/S PRC-Rallis India Pvt. Ltd.**

1. M/s Rallis-India Limited, Akola, MAHARASHTRA.
2. M/s Rallis-India Limited, Ankleshwar, GUJARAT.
3. M/s Rallis-India Limited, Lote Parasuram, MAHARASHTRA.
4. M/s Rallis-India Limited, Mahadevapura, BANGALORE.

Mfg. Lic. No.


Batch No.

Mfg. date

Expiry date

Max. retail Price Rs.

(Inclusive of all taxes)



D. PAWAR
Secretary, CIB & RC

D. PAWAR
Secretary, CIB & RC

CARBOSULFAN 25% DS

Ashok

MARSHAL POSSE 25 DS
Trade name *detected*

- INSECTICIDE

Marshel

Posse 25 DS is a broad spectrum and contact insecticide based on the active ingredient, carbosulfan. This formulation is to be used for seed treatment before sowing for the control early pests of cotton.

Plant protection equipments :

Marshel

Posse 25 DS is a ready-to-use seed treatment formulation containing the binder, adhesive which enable the product to adhere to seeds directly. As such, no extra seed treatment equipment will be required for using this product.

Method of seed treatment :

Transfer one kilogram of the seed to a large polythene bag (30 cm x 45 cm) and add the required quantity of Posse 25 DS (40 g) taking care not to allow the powder to fly away and taking usual safety precautions. Hold the mouth of the bag tightly after entrapping full air inside the bag. Now mix the contents of the bag while tightly closing the bag with the entrapped air by continuous rotation about a dozen times. After mixing, slowly release the bag open. The seeds are now ready with the insecticide for sowing.

MSR

Recommendations :

Crop	Common name of the pest	a.i. gram per kg seed	Formulation gram per seed	Qty. of water (Lit.)	Waiting period last application to harvest (days)
Cotton	Early pests such as Jassid, aphid, thrips.	15 gms.	60 gms.	N/A	

VERIFIED & APPROVED



MSR

Compatibility :

Marshel

Posse 25 DS is compatible with the other usual seed treating fungicides and fertilizers.

Phytotoxicity :

Marshel

Posse 25 DS is not phytotoxic when used at the recommended dosages.

Toxicity :

Acute oral LD50 rats	-	209 mg/kg
Acute dermal LD50 rats	-	> 5166 mg/kg

Instructions for Storage and Uses :

Storage :

1. The packages containing the insecticides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly food articles or shall be kept in separate almirahs under lock and key depending on the quantity and the nature of the insecticides.
2. The store room should be well built, well lit, ventilated and sufficient in dimensions. The conditions of the store should be dry and cool.

Disposal of container :

1. Packages or surplus materials and washing from the machines and containers shall be disposed off in a safe manner so as to prevent environmental or water pollution.
2. The used packages shall not be outside to prevent their re-use.
3. Packages shall be broken and buried away from habitation.

Precautions by Users :

1. Avoid inhalation and skin contact while diluting because of spillages or splashes. Do not mix with bare hands.
2. The user should use full protective clothing which includes rubber gloves, rubber boots. Face should be covered with dust mask or respirator and an overall or rubber apron hood or hat.
3. Use in high concentrations with low and ultra low volume application equipment is dangerous and should be avoided.

Limitations and Cautions for Use :

Do not use in those situations if there is possibility of harming bees and fish, livestock, game, wild birds and animals.

Symptoms of poisoning :

The early symptoms may be combination of headache, giddiness, vertigo nausea, vomiting, blurred vision, sweating, excessive lacrimation and salivation.

First aid measures :

1. Gastric lavage with 5% sodium bicarbonate may be given if swallowed.
2. Wash contaminated skin and irrigate eyes with normal saline.

Drug Therapy :

1. Atropinise the patient immediately and maintain full atropinisation by repeated doses of 2 to 4 mg at 5 minutes to 10 minutes interval for hours together. The need for

further atropine administration is indicated by the continuance of symptoms. As much as 24 to 50 mg may be required in a day. The extent of salivation is a useful criterion to follow in adjusting the dosage of atropine. Do not use 2-PAM.

Manufactured by :

- ① 1. M/s Rallis India Limited,
Plot No. C-5 & C-6, M.I.D.C.,
Phase-III, Shivni,
Akola-444 104,
MAHARASHTRA.
- ② 2. M/s Rallis India Limited,
G.I.D.C., Industrial Area,
Ankleshwar,
GUJARAT.
- ③ 3. M/s Rallis India Limited,
M.I.D.C., Lote Parashuram,
Taluka-Khed,
Dist. Ratnagiri,
MAHARASHTRA.
- ④ 4. M/s Rallis India Limited,
Doddenakundi,
Industrial Area, Mahadevapura,
BANGALORE.



① M/S PMC - Rallis India
Pvt. Ltd.

[Signature]
29-8-26
A. D. PAWAR
Secy. (CIB & RC)

[Signature]
A. D. PAWAR
Secretary, CIB & RC

[Signature]
A. D. PAWAR
Secy. (CIB & RC)

**VERIFIED
APPROVED**

कार्बोसल्फान 25% डी.एस.

माशुल फॉस 25 डी.एस

कीटनाशक

Ashish

माशुल

फॉस 25 डी.एस. कार्बोसल्फान मुख्यतः पर आकारित व्यापक क्षेत्र में असाधारण कीटनाशक है। इसे उचार कीटनाशक का प्रयोग कपास के अंगोतीकिसम के कीड़े को रोकथाम करने के लिए बीजोपचार बीने के पहले किया जा सकता है।

फसल सुरक्षा - धान

फॉस 25 डी.एस. बीजोपचार के लिये उचार दवा है जिसमें बाइंडर, एडहेसिव फिलाईन से दवा पुरीतार पर बीज पर चिपक जाती है। जैसे 50 दवा के प्रयोग के लिये किसी भी बीजोपचार धान की जरूरत नहीं है।

बीजोपचार की विधि

9 किलो बीजों के एक बोरे पर लीप्पिन के बैग (20 सेमी x 8 फुट.मी.) में डालि और उसे फॉस 25 डी.एस की इंगुलशक मात्रा (500 ग्राम) सावधानी के साथ भिजाये जिसमें पाउडर बाहर न डड़े और थड़े कम सावधानी के साथ करें। बैग में दवा रखते हुए इतना धर से कतकर बैग का मुह बन्द कर जितने दवा अन्दर बन्द हो जाय। अब बैग को बीज एवं दवा के साथ कम से कम 24 घण्टे इतना डलाकर और दवा को निकाले (बैग का मुह बन्द कर बन्द रखे) भिजाये के बाद धरि धरि बैग को रचोले अब उपचारित बीज बोने के लिये उचार है।

W.S.M

सिफारिश :-

AUTHENTICATED APPROVED

फसल	कीड़े का साधारण नाम	मात्रा प्रति एकर			अनुसूचित उपचार से कटाई तक प्रतिक्षाकाल (दिन)
		सक्रिय पदार्थ (ग्राम/कि.ग्रा.)	उचार/मात्रा (ग्राम/कि.ग्रा.)	पानी की मात्रा (लीटर)	
9	2	3	8	5	
कपास	अंगोती किड़े जैसे लेला माछे चुरडा	95	50	5	



अनुसूचना फॉस 25 डी.एस और बीजोपचार कलेवाले फॉस 25 डी.एस एवं उचारकों के साथ मेल खाता है और शक प्रयोग साथ किया जा सकता है।

पौधों पर जहरिल फॉस 25 डी.एस सिफारिश के अनुसार उपयोग करने पर पौधों पर किसी भी असर तरहका जहरिला असर नहीं करता।

विषाक्तता :- तीव्र मौखिक श्ल.डी. 50 (चूँ पर) : 20 ई. मिमा. / किमा. तीव्र त्वचा पर श्ल.डी. 50 (चूँ पर) : > 59 ई. मिमा. / किमा.

8. भण्डारण और प्रयोग के लिये सूचना:-

भण्डारण:-

1. कीटनाशक के डिब्बों को अलग कमरों या शेडी जगहों पर जो ऐसे कमरों या जगहों से दूर हों जो कि अन्य पदार्थ विशेषकर खाद्य पदार्थों के रखने के लिये इस्तेमाल किये जाते हैं से दूर रखना चाहिए। था फिर अलग अलमारी में ताला व राखी लगाकर कीटनाशक के प्रमाण व प्रकार के हिमाव से रखना चाहिए।
2. भण्डारण का कमरा अच्छी प्रकार से बना हुआ, पृकश युक्त, ध्वादार तथा उचित आंकार का होना चाहिए। भण्डारण का कमरा शुष्क व ठंडा होना चाहिए।

प्रयोग:-

1. भिलौते समय झड़ी या राड का प्रयोग करें। हाथ से न भिलौयें।
2. ~~त्वचा~~ कीटनाशक को मुँह और आँखों के सर्पक में आने से बचायें।

डिब्बों का निपटारा:-

1. डिब्बों या बड़े हुए पदार्थ तथा मशीनों व डिब्बों के धोवन का निपटारा इस प्रकार से करना चाहिए ताकि वातावरण व पानी प्रदूषित न हो।
2. इस्तेमाल किये हुए डिब्बों को बाहर नहीं धोना चाहिए ताकि उनका दुबारा प्रयोग न हो सके।
3. डिब्बों को तोड़कर आबासी से दूर जमीन में गड़ देना चाहिए।

प्रयोगकर्ता के लिये सावधानियाँ:-

1. भिलौते समय सूँघने और त्वचा के सर्पक में आने से बचायें जो कि कीटनाशक की धौटी और बौदारी के कारण हो सकता है।
2. प्रयोग कर्ता को पूर्ण सुरक्षित कपड़े जिसमें रबर के दस्ताने, रबर के जूते शामिल हैं पहना चाहिए। मुँह फेस मास्क, रेस्पिरैटर तथा एक ओवरऑल या रबर शूज हुआ या हूट से ढका होना चाहिए।
3. अधिक मात्रा वाले धोल का प्रयोग नो या अल्पा को वायुम धिक्काव यंत्र से करना खतरनाक है तथा खेया नहीं करना चाहिए।

प्रयोग की सीमाएँ व सावधानियाँ:-

जहाँ पर मधु मन्थियों, मधुखियों, पालतु जानवरों, खैल के मैदान, जंगली पक्षियों तथा जानवरों को उकसान पहुँचाने की सम्भावना हो, कीटनाशक का प्रयोग न करें।

जहर के लक्षण:-

शुरु के लक्षणों में चक्कर आना, सर दर्द, भयली आना, उल्टी आना, रजर का दुँधलापन, पसीना आना, आवश्यकता से अधिक धार गिरना आदि लक्षण हो सकते हैं।

प्राथमिक उपचार:-

1. यदि निगला गया हो तो ५% सोडियम बाइकार्बोनेट से गैस्ट्रिक लैवेंज दे।
2. दूषित त्वचा को पानी से धोयें तथा आँखों को नार्मल सालइन से धोयें।

विष-उपचार:-

1. मरीज को तुरन्त श्योपिनाइज करें तथा पूर्ण श्योपिनाइजेशन, श्योपीन की लगातार 2-8 मिग्रा. मात्रा 2-90 मिग्रा. के अन्तर पर धीरे धीरे दें। श्योपीन की मात्रा जहर के लक्षण द्वारा निर्धारित की जाती है। लार छोड़ने की मात्रा के द्वारा श्योपीन की मात्रा निर्धारित की जा सकती है। 2-पी. ए. एम. का प्रयोग न करें।

निर्माता:-

- (x) 1. मै. रे. लिमिटेड इण्डिया लिमिटेड
प्लॉट नं. सी-पू तथा सी-६, एम. आई. टी. सी.
फेस-३, शिवनी
अकोला - ४४४ १०४
महाराष्ट्र
- (x) 2. मै. रे. लिमिटेड इण्डिया लिमिटेड
जी. आई. टी. सी. इण्डस्ट्रियल एरिया,
अंकोवेश्वर, गुजरात
- (x) 3. मै. रे. लिमिटेड इण्डिया लिमिटेड
एम. आई. टी. सी., लोटे-परमुराम
वाल्मुक-शेड
जिला रत्नागिरि
महाराष्ट्र
- (x) 4. मै. रे. लिमिटेड इण्डिया लिमिटेड
दोड्डेनकुन्डी इण्डस्ट्रियल एरिया,
महादेवपुरा,
बंगलौर



(x) मै. एम. एम. सी. -
रे. लिमिटेड इण्डिया प्रा. लि.

A. D. Pawar
A. D. PAWAR
Secy. (CIB & RC)

A. D. Pawar
A. D. PAWAR
Secretary, CIB & RC

A. D. Pawar
A. D. PAWAR
Secy. (CIB & RC)